

BX3 DATA SHEET

System Fastener for interior finishing, building construction, mechanical and electrical application





BX 3 System Fastener for interior finishing, building construction, mechanical and electrical application

Product data

BX 3 battery-actuated direct fastening tools







BX 3 02 BX 3-L 02

Features and benefits

- · Hilti's combustion-free direct fastening technology for driving nails into concrete, steel and some types of solid
- High user comfort thanks to low levels of compression force, noise and recoil
- No disposal of (used) propellant cartridges or gas cans
- · Hilti's 22V cordless tool battery platform

Fasteners and their compatibility

Nails

For fastening to concrete X-P 17/20/24 B3 MX X-P 30/36 B3 P7 X-C 20/24/27/30 B3 MX



X-C 36 B3 MX




For fastening to steel X-S 14 B3 MX



Threaded studs

For fastening to concrete X-M6-7-24 B3 P7



X-W6-12-20 B3 P7



For fastening to steel X-M6-7-14 B3 P7





	BX 3-ME (02)	BX 3-IF	BX 3 02	BX 3-L 02
X-S 14 B3 MX	yes	yes	yes	yes
X-P 17 B3 MX	yes	yes	yes	yes
X-P 20 B3 MX	yes	yes	yes	yes
X-P 24 B3 MX	yes	yes	yes	yes
X-C 20 B3 MX	yes	yes	yes	yes
X-C 24 B3 MX	yes	yes	yes	yes
X-C 27 B3 MX	no	no	yes	yes
X-C 30 B3 MX	no	no	yes	yes
X-C 36 B3 MX	no	no	no	yes
X-M/W B3 P7	yes	yes	no	no
X-P _ B3 P7	yes	yes	no	no
ME MX elements	yes	with ME FG	with ME FG	with ME FG


General information

Material specifications X-P B3 MX/P7, X-S B3 MX X-C B3 MX

Carbon steel, HRC 57.5, 2-13 µm zinc coating Carbon steel, HRC 56.5, 2-13 µm zinc coating



Electrical elements to be used with nails - examples



General information

Material specifications

X-ECT MX, X-EKS, X-EKSC MX, ECH MX

X-EKB MX X-ECT-FR MX

X-EKB-FR MX X-UCT MX, X-ET MX

X-TT

X-FB MX, X-DFB MX X-ECC MX. X-EHS MX

Approvals

ICC-ESR 1752 (USA) ETA-16/0301 PA, halogen free, silicone free, light grey RAL 7035

PA, halogen free, light grey RAL 7035

PBT, silicone free, flame retardant, stone grey RAL 7030 PBT, silicone free, flame retardant, stone grey RAL 7030 HDPE, halogen free, silicone free, light grey RAL 7035

PET

Galvanized steel sheet, f_u = 270-420 N/mm², 10-20 μ m zinc coating Galvanized steel sheet, f_u = 270-420 N/mm², 10-20 μ m zinc coating

X-P 20 B3 MX, X-P 24 B3 MX, various electrical elements (see ETA approval Annex A1)

Applications

With nails



Drywall tracks to concrete and steel



Fastening wood, e.g. Placopan®, to concrete



Junction boxes, switch boxes, etc

With nails and elements



Flexible or rigid cable conduits with cable ties



Fastening cables




Cable conduits or light-duty pipes

3



Performance data

Performance data for drywall track fastening



X-S 14 B3 MX (Base material: steel)

Tension N _{rec} [kN]	Shear V _{rec} [kN]
0.4	0.4

X-P B3, X-C B3 (Base material: concrete / sand-lime masonry)

	Recommended Loads [kN]						
Embedment	Tensio	Tension N _{rec} Shear V _{rec}		Tension N _{rec}	Shear V _{rec}		
[mm]		Concre	te Type		Cond lime measure		
	Soft	Tough	Soft	Tough	Sand-lime masonry		
≥ 22	-	-	-	-	0.3	0.3	
≥ 18	0.2	-	0.2	-	0.2	0.2	
≥ 14	0.1	0.1	0.1	0.1	0.1	0.1	

Conditions:

- For safety relevant fastenings sufficient redundancy of the entire system is required;
 Minimum of 5 nails per fastened track. All visible setting failures must be replaced
- · Sheet metal failure is not considered in recommended loads and must be assessed separately
- Soft concrete up to $f_{c,cube}$ = 45 N/mm² (C35/45), some tough concrete up to $f_{c,cube}$ = 60 N/mm² (C50/60).
- Concrete with aggregate like granite or river rock or softer, and up to 16 mm diameter



Stick rate estimation						
Soft Concrete Tough concrete						
X-P B3	85% - 98%	70% - 85%				
X-C B3	75% - 90%	55% - 70%				

The stick rate indicates the percentage of nails that were driven correctly to carry a load.
 Stick rate can vary from the above values depending on job site conditions.



Performance data

Recommended loads (Threaded studs only)

Threaded stud	Recommend	ed loads and tigh	Base material	
Tiffeaded Stud	N _{rec} [kN]	V _{rec} [kN]	T _{rec} [Nm]	Dase material
X-M6-7-24 B3 P7	0.05	0.05	3.0	Concrete, sand-lime
X-W6-12-20 B3 P7				masonry
X-M6-7-14 B3 P7	0.2	0.2	3.0	Steel
X-W6-12-14 B3 P7				

Recommended loads (electrical elements used with nails)

Element	Maximum service load F _{max} [N]
X-ECT (FR) MX	40
X-UCT MX	40
X-EKS MX	11
X-EKSC MX	32
X-FB MX / X-DFB MX	20
X-ECC MX	50
X-EHS MX	80
X-EKB (FR) 4 MX	9
X-EKB (FR) 8 MX	14
X-EKB (FR) 16 MX	18
X-ECH MX	40
	Cable trunking
X-ET MX	100

Conditions:

- Spacing ≤ 100 mm
- All visible failures must be replaced



Nail recommendation

For **concrete** base material

Nail types	Length [mm]	Tip	Shank Ø [mm]	Material	Hardness [HRC]	Coating [µm]
X-P B3 P7/MX	17-36	Long conical	3.0	Carbon steel	57.5	Zinc, 2-10

- Premium nails (as listed above) are recommended for use on soft and some tough concrete. For more details regarding nail classification and concrete types, please refer to Concrete Fastener Selection section in Hilti Direct Fastening Technology Manual (DFTM)
- X-P 17/20/24 B3 MX to be used with BX 3 02, BX 3-L 02, BX 3-ME (02) and BX 3-IF
- X-P 30/36 B3 P7 to be used with BX 3-ME (02) and BX 3-IF

For concrete base material

Nail types	Length [mm]	Tip	Shank Ø [mm]	Material	Hardness [HRC]	Coating [µm]
X-C B3 MX	20-30 36	Cut	3.0 2.75	Carbon steel	56.5	Zinc, 5-13

 Standard nails (as listed above) are recommended for use on soft concrete only. For more details regarding nail classification and concrete types, please refer to

Concrete Fastener Selection section in Hilti Direct Fastening Technology Manual (DFTM)

- X-C 20/24/27/30 B3 MX to be used with BX 3 02
- X-C 20/24/27/30/36 B3 MX to be used with BX 3-L 02
- X-C 20/24 B3 MX to be used with BX 3-ME (02) and BX 3-IF

For steel base material


Nail types	Length [mm]	Tip	Shank Ø [mm]	Material	Hardness [HRC]	Coating [µm]
X-S 14 B3 MX	14	Long conical	3.0	Carbon steel	57.5	Zinc, 2-10

- X-S 14 B3 MX to be used with BX 3 02, BX 3-L 02, BX 3-ME (02) and BX 3-IF
- Please refer to next pages for application limits on steel base material




Application requirements

Thickness of base material



Concrete (for nails and threaded studs) h_{min} = 60 mm


 $d_{nom} = 3.0 \text{ mm}$



Steel

 $t_{||} \ge 4.0 \text{ mm (for nails)}$ $t_{||} \ge 6.0 \text{ mm (for threaded studs)}$

Thickness of fastened material



Wooden track:

 $t_1 \le 27$ mm (conditions: head of the nail is countersunked flat to the surface)


Metal track: $t_1 \le 2 \text{ mm}$

Deflection head: $t_{l.tot.} \le 21 \text{ mm (gypsum strip +}$


metal track and sealant)

Spacing and edge distances (mm)

Max. spacing along track




All track ends (cut-outs for doors), secure with 2 nails



Fastener spacing max. 30 cm for proprietary light non-load-bearing partition walls with fire classification


<u>Distance to edge of concrete /</u> sand-lime masonry

Spacing between nails when fastening wood to concrete



Based on common practice, spacing needs to be adjusted based on specific load requirement and achieved embedment depth.


Distance to edge of fastened material (steel base material)






Application limits

X-S 14 B3 MX



X-M6-7-14 B3 P7, X-W6-12-14 B3 P7



Corrosion information

The intended use only comprises fastenings which are not directly exposed to external weather conditions or moist atmospheres, i.e. only intended for dry indoor areas.

Fastener selection and system recommendation

Fastener program

Nails


Nail	Item no.	Shank length (mm)	Shank diameter (mm)	Base material	Length recommendation
X-S 14 B3 MX	2156392, 2156393	14	3	Steel	
X-P 17 B3 MX	2156216, 2156219	17	3		
X-P 20 B3 MX	2156217, 2156390	20	3		
X-P 24 B3 MX	2156218, 2156391	24	3	Concrete	of fastened material
X-P 30 B3 P7	2105406	30	3	/ Sand-lime	ing sing
X-P 36 B3 P7	2105407	36	3	masonry	thickne d mater d mater
X-C 20 B3 MX	2123993	20	3		material thickness
X-C 24 B3 MX	2123994	24	3		
X-C 27 B3 MX	2224568	27	3		
X-C 30 B3 MX	2149988	30	3		
X-C 36 B3 MX	2149989	36	2.75		



Threaded studs

Threaded studs	Item no.	Thread size	Thread length (mm)	Shank length (mm)	Shank diameter (mm)	Base material
X-M6-7-14 B3 P7	2105408	M6	7	14	3	Steel
X-M6-7-24 B3 P7	2105409	M6	7	24	3	Concrete
X-W6-12-14 B3 P7	2105800	W6	12	14	3	Steel
X-W6-12-20 B3 P7	2105801	W6	12	20	3	Concrete

Fastener selection




For more details and information, please contact your nearest Hilti representative.




Fastener selection

	Nail Selector for BX 3 02 and BX 3-L 02					
	Brick	Con	crete Wall/Ceiling	Steel		
+	X-C 24-36 B3 MX*	X-C 20 B3 MX X-C 24 B3 MX	X-C 20 B3 MX X-P 17 B3 MX	X-S 14 B3 MX		
+ 000000000		X-C 36 B3 MX*				
♣ + 000000000	X-C 24 X-C 20		X-P 20 B3 MX	X-S 14 B3 MX		
4 mmmm	X-P 20 B3 MX X-P 17 B3 MX		X-P 17 B3 MX	X-S 14 B3 MX		
O 🗩 + 000000000		X-C 24 B3 MX X-C 20 B3 MX		X-S 14 B3 MX		
		Propellant-free				

* X-C 36 B3 MX suitable for BX 3-L 02 only









Fastening quality assurance

Fastening inspection


Nails and studs in concrete / sand-lime masonry




X-C_B3, X-P_B3: $h_{NVS} = 2-5 \text{ mm}$



X-M6-7-24 B3 P7 X-W6-12-20 B3 P7




 h_{NVS} ≥ 7 mm ≥ 12 mm



Nails and studs in steel


X-S_B3: $h_{NVS} = 2-9 \text{ mm}$



X-C_B3, X-P_B3: $h_{NVS} = 2-3 \text{ mm}$



Deflection head X-P 36 B3 P7, X-C 36 B3 MX $h_{NVS} \le 12 \text{ mm}$ $h_{NVS} \le 9 \text{ mm}$ $h_{NVS} \le 5 \text{ mm}$ 12.5 mm board: 15 mm board: 19 mm board:



X-M6-7-14 B3 P7 X-W6-12-14 B3 P7

 $h_{NVS} \\$ ≥ 7 mm ≥ 12 mm

Element	h _{NVS} (mm)	
	Concrete	Steel
X-EKB 4/8 MX	6-11	6-9
X-EKB 16 MX	6-11	6-9
X-ECT MX	6-11	6-9
X-UCT MX	6-11	6-9
X-ECH MX	6-11	6-9
X-EKS MX	6-11	6-9
X-EKSC MX	6-11	6-9
X-FB MX	7–11	7-9
X-DFB MX	7-11	7-9
X-ECC MX	7–11	7-9
X-EHS MX	7-11	7-9
X-ET MX*	5-10	5-9

^{*)} With X-ET MX, the h_{NVS} is measured against the cable trunk.

Examples

